		E
	Application No.	Applicant(s)
Notice of Allowability	10/665,984 Examiner	MCGEE ET AL. Art Unit
	Jared J. Fureman	2876
The MAILING DATE of this communication appeal All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI	(OR REMAINS) CLOSED in this ap or other appropriate communication IGHTS. This application is subject to	plication. If not included n will be mailed in due course. THIS
1. X This communication is responsive to the amendment filed	on 5/18/2007.	
2. 🔀 The allowed claim(s) is/are <u>12,15-20,36,41-43,47-50,67 an</u>	<u>nd 74-78</u> .	
 Acknowledgment is made of a claim for foreign priority unally all bloome* close of the priority documents have close of the priority documents. 	e been received. be been received in Application No	
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	of this communication to file a reply IENT of this application.	complying with the requirements
 A SUBSTITUTE OATH OR DECLARATION must be submit · INFORMAL PATENT APPLICATION (PTO-152) which give 	itted. Note the attached EXAMINER es reason(s) why the oath or declara	'S AMENDMENT or NOTICE OF tion is deficient.
 CORRECTED DRAWINGS (as "replacement sheets") mus (a) including changes required by the Notice of Draftspers 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Paper No./Mail Date 	son's Patent Drawing Review (PTO-	·
Identifying indicia such as the application number (see 37 CFR 1, each sheet. Replacement sheet(s) should be labeled as such in the	.84(c)) should be written on the drawing to 37 CFR 1.121(ngs in the front (not the back) of d).
 DEPOSIT OF and/or INFORMATION about the deposit attached Examiner's comment regarding REQUIREMENT I 	SIT OF BIOLOGICAL MATERIAL T FOR THE DEPOSIT OF BIOLOGIC	nust be submitted. Note the AL MATERIAL.
Attachment(s)		
1. Notice of References Cited (PTO-892)	5. Notice of Informal P	atent Application
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. 🔀 Interview Summary Paper No./Mail Dat	ie <u>2007</u> 0525
 Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date 	7. 🔲 Examiner's Amendr	nent/Comment
Examiner's Comment Regarding Requirement for Deposit of Biological Material		ent of Reasons for Allowance
	9. 🗌 Other	Jared J. Fureman Primary Examiner Art Unit: 2876

Receipt is acknowledged of the amendment, filed on 5/18/2007, which has been entered in the file. Claims 12, 15-20, 36, 41-43, 47-50, 67 and 74-78 are pending.

Drawings

1. The drawings were received on 5/18/2007. These drawings are acceptable to the examiner.

Allowable Subject Matter

- 1. Claims 12, 15-20, 36, 41-43, 47-50, 67 and 74-78 have been allowed over the prior art of record.
- 2. The following is an examiner's statement of reasons for allowance: The prior art of record, taken alone or in combination, fails to teach or fairly suggest: (re claim 12 and dependents) a data card having a second side portion having two flat portions on either side of a protrusion portion, the J-peg shaped aperture is located through the protrusion portion; (re claim 36 and dependents) a method comprising providing a data card having a top edge comprising two flat portions on either side of a protrusion portion and one or more of the at least one aperture is located through the protrusion portion; (re claim 67 and dependents) a data card comprising a top edge comprising two flat portions on either side of a protrusion portion and at least one aperture through the protrusion portion; in combination with the other claimed limitations as set forth in claims 12, 36 and 67.

Art Unit: 2876

Hollingsworth et al (US 2002/0100797 A1) and Koren (US 2002/0117243 A1) both teach card holders including relatively flat edges on either side of a protrusion portion, and an aperture through the protrusion portion. However, both Hollingsworth et al and Koren both teach the protrusion portion and aperture being provided on a card holder rather than the card itself. Therefore, without the benefit of applicant's teachings, there is no motivation for one of ordinary skill in the art at the time of the invention to combine the prior art of record in a manner so as to create the claimed invention.

Page 3

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

3. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Hollingsworth et al (US 2002/0100797 A1) and Koren (US 2002/0117243 A1) both teach card holders including relatively flat edges on either side of a protrusion portion, and an aperture through the protrusion portion.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jared J. Fureman whose telephone number is (571) 272-2391. The examiner can normally be reached on 8:00 am - 5:30 PM M-T, and every other Friday.

Art Unit: 2876

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael G. Lee can be reached on (571) 272-2398. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Jared J. Fureman Primary Examiner Art Unit 2876

May 25, 2007